Owner: Owner Well #: 18 City of Bryan

Address: P.O. Box 1000 Grid #: 59-21-1

Bryan, TX 77805

Latitude: 30° 43' 40" N Well Location: **OSR & Peyton Road**

Bryan, TX

Longitude: 096° 28' 31" W

Well County: **Brazos** Elevation: No Data

Type of Work: **New Well** Proposed Use: **Public Supply**

Drilling End Date: 10/8/2005 Drilling Start Date: 11/22/2004 Plans Approved by TCEQ - YES

Diameter (in.) Top Depth (ft.) Bottom Depth (ft.) Borehole: 0 100 36 0 800 24

> 16 800 2322

Drilling Method: Mud (Hydraulic) Rotary

Filter Packed; Under-reamed Borehole Completion:

Top Depth (ft.) Bottom Depth (ft.) Filter Material Size Filter Pack Intervals:

2127 2770 Gravel 12-20 Top Depth (ft.) Bottom Depth (ft.) Description (number of sacks & material)

0 190 257-Cement 0 2322 2256-cement

Seal Method: Positive Displacement Distance to Property Line (ft.): No Data

Sealed By: Advanced Oil Svc Distance to Septic Field or other

concentrated contamination (ft.): No Data Distance to Septic Tank (ft.): No Data

Method of Verification: No Data

Surface Completion: **Surface Slab Installed**

Water Level: 220.75 ft. below land surface on 2005-11- Measurement Method: Unknown

01

Packers: none

Type of Pump: **Turbine** Pump Depth (ft.): 500

Well Tests: **Pump** Yield: 3503 GPM with 93.92 ft. drawdown after 36 hours

Annular Seal Data:

2328-2750	Desirable
Strata Depth (ft.)	Water Type

Chemical Analysis Made: Yes

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: Weisinger Water Well, Inc.

2200 East Davis Conroe, TX 77301

Driller Name: James Edward Murphy License Number: 3153

Comments: 45.39 specific capacity @ 3503 gpm after 1 hour

30" underreamed 2322-2770

12-20 Unimin Gravel

Amended 12/15/05 ref#2702 TWDB assigned SWN 5921108.

Report Amended on by Request #2702

Report Amended on 4/6/2017 by Request #21125

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Top (ft.) Bottom (ft.) Description 0 8 dirt 8 60 clay 60 100 shale 100 150 clay 150 245 Sand 245 274 dark clay 274 305 clay, sandy clay 305 336 sandy clay 336 356 sand 356 428 dark clay 428 460 shale,sand 460 490 sand, shale, sand

Dia. (in.) New/Used Type Setting From/To (ft.)		
24 N Surface Casing 0-800		
16 N Surface Casing 800-2322		
10 N Blank Liner 2122-2328		
10 N Pipe Base Screen 2328-2520 .025		
10 N Blank Liner 2520-2530		
10 N Pipe BaseScreen 2530-2588 .025		
10 N Blank Liner 2588-2598		
10 N Pipe Base Screen 2598-2606 .025		
10 N Blank Liner 2606-2612		
10 N Pipe Base Screen 2612-2647 .025		
10 N Blank Liner 2647-2654		
10 N Pipe Base Screen 2654-2690 .025		
10 N Blank Liner 2690-2704		

		1
490	525	dark clay
525	560	clay,sandy shale
560	585	shale,sand
585	615	sand,clay sandy
615	650	sandy,shale
650	680	sandy shale,sand
680	710	sand,shale
710	740	sand
740	771	sand,shale streak
771	802	shale
802	833	sand
833	864	shale & sand streak
864	900	shale
900	1060	shale,sand streaks
1060	1090	shale
1090	1120	shale,sandy shale
1120	1155	shale,sand
1155	1200	sand
1200	1240	shale,sand streaks
1240	1300	sandy shale
1300	1492	sticky shale
1492	1556	shale & sand streaks
1556	1587	shale & lignite
1587	1619	shale
1619	1635	sand
1635	1650	shale & sand streaks
1650	1680	shale
1680	1713	shale & sand streaks
1713	1745	shale & sand
1745	1810	sand
1810	1840	sand & shale
1840	1871	shale & sandy shale
1871	1960	sand
1960	1980	shale
1980	2000	sand
2000	2030	hard shale
2030	2090	shale
		· ·

10 N Pipe Base Screen 2704-2750 .025	
10 N Blank Liner & BPV 2750-2770	

2090	2155	shale,sand streaks
2155	2182	shale,hard shale
2182	2215	shale
2215	2250	shale & sand streaks
2250	2320	shale
2320	2400	sand
2400	2412	shale
2412	2435	course sand
2435	2440	sand
2440	2465	sand & shale
2465	2495	shale
2495	2515	sand
2515	2527	shale
2527	2558	shale,sand
2558	2619	sand
2619	2651	shale,sand
2651	2685	shale
2685	2746	sand
2746	2809	shale
2809	2880	sand
2880	2900	hard shale

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Owner: City of College Station Well No.7

Owner Well #: 7

Grid #:

Latitude:

Address: **P.O. Box 9960**

College Station, TX 77843

59-21-4

Well Location: OSR/NW of Sandy Point Rd

College Station TV

30° 42' 21" N

College Station, TX

Longitude: 096° 29' 19" W

Well County: Brazos

Elevation: No Data

Type of Work: New Well Proposed Use: Public Supply

Drilling Start Date: 11/26/2007 Drilling End Date: 3/26/2009 Plans Approved by TCEQ - YES

Borehole:

Diameter (in.)	Top Depth (ft.)	Bottom Depth (ft.)
48	0	92
26	0	800
22	800	2389

Drilling Method: Mud (Hydraulic) Rotary

Borehole Completion: Filter Packed; Under-reamed

Filter Pack Intervals:

Annular Seal Data:

Top Depth (ft.)	Bottom Depth (ft.)	Filter Material	Size
2389	2965	Gravel	12-20 #1

Top Depth (ft.)	Bottom Depth (ft.)	Description (number of sacks & material)
0	2389	2388-Cement

Seal Method: Positive Displacement

Distance to Property Line (ft.): No Data

Sealed By: **Driller**

Distance to Septic Field or other

concentrated contamination (ft.): No Data

Distance to Septic Tank (ft.): No Data

Method of Verification: No Data

Surface Completion: Surface Slab Installed

Water Level: 199 ft. below land surface on 2008-03-18 Measurement Method: Unknown

Packers: No Data

Type of Pump: Turbine Pump Depth (ft.): 470

Well Tests: Pump Yield: 3008 GPM with 65 ft. drawdown after 36 hours

Strata Depth (ft.)	Water Type
2395-2945	Desirable

Chemical Analysis Made: Yes

Did the driller knowingly penetrate any strata which

contained injurious constituents?: No

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: Weisinger Water Well,Inc.

2200 East Davis Conroe, TX 77301

Driller Name: Clint Gaskins License Number: 54561

Apprentice Name: Bobby Terry Apprentice Number: 57233

Comments: PWS ID#0210002

UNIMIN #1 12-20 SCREEN GAUGE .025 26" UNDERREAMED

Assigned SWN 59-21-415 by TWDB on 6/9/2010.

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Top (ft.)	Bottom (ft.)	Description
0	60	Clay
60	173	Clay,Some Gravel
173	204	Clay,Gravel
204	235	Clay
235	298	Clay,Sand
298	330	Gravel,Sand
330	361	Clay,Gravel
361	423	Clay
423	486	Clay,Sand
486	517	Clay
517	547	Clay,some Gravel
547	578	Sand, little gravel
578	609	Clay,little sand
609	641	Clay,sand
641	672	Clay

Dia. (in.) New/Used Type Setting From/To (ft.)			
20 N Surface Casing 2-800			
16 N Surface Casing 800-2389			
10 N Blank Liner 2239-2395			
10 N SS Screen 2395-2468			
10 N Blank Liner 2468-2485			
10 N SS Screen 2485-2666			
10 N Blank Liner 2666-2685			
10 N SS Screen 2685-2724			
10 N Blank Liner 2724-2740			
10 N SS Screen 2740-2746			
10 N Blank Liner 2746-2761			
10 N SS Screen 2761-2767			
10 N Blank Liner 2767-2783			
10 N SS Screen 2783-2827			
10 N Blank Liner 2827-2844			
10 N SS Screen 2844-2850			

672	733	Sand,Clay
733	764	Sand
764	796	Clay
796	827	Sand,Clay
827	980	Sand, Gravel
980	1011	Sand,Clay
1011	1042	Clay
1042	1074	Sand, little clay
1074	1105	sand
1105	1136	Sand,Shale
1136	1167	Shale
1167	1197	Shale,Sand
1197	1228	Clay,Sand
1228	1290	Clay
1290	1322	Clay,Gravel
1322	1385	Gravel,Clay
1385	1417	Clay,Gravel
1417	1510	Clay
1510	1541	Lignite,Clay
1541	1572	Clay,Gravel
1572	1603	Gravel
1603	1634	Gravel, little Sand
1634	1665	Gravel,Sand
1665	1674	Clay
1674	1759	Sand,some Gravel
1759	1791	Gravel,Sand
1791	1822	Clay
1822	1853	Gravel
1853	1914	Sand
1914	1945	Sand,Gravel
1945	1977	Clay,Sand
1977	2007	Clay,some Sand
2007	2037	Clay
2037	2069	Shale,Clay
2069	2101	Shale, little Clay
2101	2163	Gravel,Clay
2163	2194	Clay,Sand
		<u> </u>

10 N Blank Liner 2850-2868
10 N SS Screen 2868-2945
10 N Blank Liner & BPV 2945-2965
Cement Plug 2970-3000

2194 2225 Clay,Sand 2225 2256 Lignite,Clay 2287 2319 Clay 2319 2382 Clay,Sand 2382 2413 Sand 2413 2475 Sand,little Clay 2475 2506 Clay,Sand 2506 2537 Sand,some Clay 2537 2569 Sand 2569 2630 Sand,Gravel 2630 2660 Gravel,little Sand 2660 2691 Clay,Gravel 2691 2723 Clay,Gravel,Shale 2723 2754 Gravel,Clay 2754 2785 Clay,Shale 2785 2817 Clay,Sand 2817 2848 Sand,Clay 2848 2879 Sand,little Clay 2879 2910 Sand 2910 2941 Sand,Gravel 2941 3000 Clay,Shale			
2256 2287 Clay,little Gravel 2287 2319 Clay 2319 2382 Clay,Sand 2382 2413 Sand 2413 2475 Sand,little Clay 2475 2506 Clay,Sand 2506 2537 Sand,some Clay 2537 2569 Sand 2569 2630 Sand,Gravel 2630 2660 Gravel,little Sand 2660 2691 Clay,Gravel 2691 2723 Clay,Gravel,Shale 2723 2754 Gravel,Clay 2754 2785 Clay,Sand 2817 2848 Sand,Clay 2848 2879 Sand,little Clay 2879 2910 Sand 2910 2941 Sand,Gravel	2194	2225	Clay,Sand
2287 2319 Clay 2319 2382 Clay,Sand 2382 2413 Sand 2413 2475 Sand,little Clay 2475 2506 Clay,Sand 2506 2537 Sand,some Clay 2537 2569 Sand 2569 2630 Sand,Gravel 2630 2660 Gravel,little Sand 2660 2691 Clay,Gravel 2691 2723 Clay,Gravel,Shale 2723 2754 Gravel,Clay 2754 2785 Clay,Shale 2785 2817 Clay,Sand 2817 2848 Sand,Clay 2848 2879 Sand,little Clay 2879 2910 Sand 2910 2941 Sand,Gravel	2225	2256	Lignite,Clay
2319 2382 Clay,Sand 2382 2413 Sand 2413 2475 Sand,little Clay 2475 2506 Clay,Sand 2506 2537 Sand,some Clay 2537 2569 Sand 2569 2630 Sand,Gravel 2630 2660 Gravel,little Sand 2660 2691 Clay,Gravel 2691 2723 Clay,Gravel,Shale 2723 2754 Gravel,Clay 2754 2785 Clay,Shale 2785 2817 Clay,Sand 2817 2848 Sand,Clay 2848 2879 Sand,little Clay 2879 2910 Sand 2910 2941 Sand,Gravel	2256	2287	Clay, little Gravel
2382 2413 Sand 2413 2475 Sand,little Clay 2475 2506 Clay,Sand 2506 2537 Sand,some Clay 2537 2569 Sand 2569 2630 Sand,Gravel 2630 2660 Gravel,little Sand 2660 2691 Clay,Gravel 2691 2723 Clay,Gravel,Shale 2723 2754 Gravel,Clay 2754 2785 Clay,Shale 2785 2817 Clay,Sand 2817 2848 Sand,Clay 2848 2879 Sand,little Clay 2879 2910 Sand 2910 2941 Sand,Gravel	2287	2319	Clay
2413 2475 Sand,little Clay 2475 2506 Clay,Sand 2506 2537 Sand,some Clay 2537 2569 Sand 2569 2630 Sand,Gravel 2630 2660 Gravel,little Sand 2660 2691 Clay,Gravel 2691 2723 Clay,Gravel,Shale 2723 2754 Gravel,Clay 2754 2785 Clay,Shale 2785 2817 Clay,Sand 2817 2848 Sand,Clay 2848 2879 Sand,little Clay 2879 2910 Sand 2910 2941 Sand,Gravel	2319	2382	Clay,Sand
2475 2506 Clay,Sand 2506 2537 Sand,some Clay 2537 2569 Sand 2569 2630 Sand,Gravel 2630 2660 Gravel,little Sand 2660 2691 Clay,Gravel 2691 2723 Clay,Gravel,Shale 2723 2754 Gravel,Clay 2754 2785 Clay,Shale 2785 2817 Clay,Sand 2817 2848 Sand,Clay 2848 2879 Sand,little Clay 2879 2910 Sand 2910 2941 Sand,Gravel	2382	2413	Sand
2506 2537 Sand,some Clay 2537 2569 Sand 2569 2630 Sand,Gravel 2630 2660 Gravel,little Sand 2660 2691 Clay,Gravel 2691 2723 Clay,Gravel,Shale 2723 2754 Gravel,Clay 2754 2785 Clay,Shale 2785 2817 Clay,Sand 2817 2848 Sand,Clay 2848 2879 Sand,little Clay 2879 2910 Sand 2910 2941 Sand,Gravel	2413	2475	Sand, little Clay
2537 2569 Sand 2569 2630 Sand,Gravel 2630 2660 Gravel,little Sand 2660 2691 Clay,Gravel 2691 2723 Clay,Gravel,Shale 2723 2754 Gravel,Clay 2754 2785 Clay,Shale 2785 2817 Clay,Sand 2817 2848 Sand,Clay 2848 2879 Sand,little Clay 2879 2910 Sand 2910 2941 Sand,Gravel	2475	2506	Clay,Sand
2569 2630 Sand,Gravel 2630 2660 Gravel,little Sand 2660 2691 Clay,Gravel 2691 2723 Clay,Gravel,Shale 2723 2754 Gravel,Clay 2754 2785 Clay,Shale 2785 2817 Clay,Sand 2817 2848 Sand,Clay 2848 2879 Sand,little Clay 2879 2910 Sand 2910 2941 Sand,Gravel	2506	2537	Sand,some Clay
2630 2660 Gravel,little Sand 2660 2691 Clay,Gravel 2691 2723 Clay,Gravel,Shale 2723 2754 Gravel,Clay 2754 2785 Clay,Shale 2785 2817 Clay,Sand 2817 2848 Sand,Clay 2848 2879 Sand,little Clay 2879 2910 Sand 2910 2941 Sand,Gravel	2537	2569	Sand
2660 2691 Clay,Gravel 2691 2723 Clay,Gravel,Shale 2723 2754 Gravel,Clay 2754 2785 Clay,Shale 2785 2817 Clay,Sand 2817 2848 Sand,Clay 2848 2879 Sand,little Clay 2879 2910 Sand 2910 2941 Sand,Gravel	2569	2630	Sand,Gravel
2691 2723 Clay,Gravel,Shale 2723 2754 Gravel,Clay 2754 2785 Clay,Shale 2785 2817 Clay,Sand 2817 2848 Sand,Clay 2848 2879 Sand,little Clay 2879 2910 Sand 2910 2941 Sand,Gravel	2630	2660	Gravel, little Sand
2723 2754 Gravel,Clay 2754 2785 Clay,Shale 2785 2817 Clay,Sand 2817 2848 Sand,Clay 2848 2879 Sand,little Clay 2879 2910 Sand 2910 2941 Sand,Gravel	2660	2691	Clay,Gravel
2754 2785 Clay,Shale 2785 2817 Clay,Sand 2817 2848 Sand,Clay 2848 2879 Sand,little Clay 2879 2910 Sand 2910 2941 Sand,Gravel	2691	2723	Clay,Gravel,Shale
2785 2817 Clay,Sand 2817 2848 Sand,Clay 2848 2879 Sand,little Clay 2879 2910 Sand 2910 2941 Sand,Gravel	2723	2754	Gravel,Clay
2817 2848 Sand,Clay 2848 2879 Sand,little Clay 2879 2910 Sand 2910 2941 Sand,Gravel	2754	2785	Clay,Shale
2848 2879 Sand,little Clay 2879 2910 Sand 2910 2941 Sand,Gravel	2785	2817	Clay,Sand
2879 2910 Sand 2910 2941 Sand,Gravel	2817	2848	Sand,Clay
2910 2941 Sand,Gravel	2848	2879	Sand, little Clay
	2879	2910	Sand
2941 3000 Clay,Shale	2910	2941	Sand,Gravel
	2941	3000	Clay,Shale

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Owner: City of College Station Owner Well #: Sparta No. 1

Address: 1101 Texas Avenue Grid #: 59-21-5

College Station, TX 77842

Well Location: From OSR & FM 1687 - 2.5 mi on FM

1687 to water plant

College Station, TX 77842

Longitude: 096° 27' 06" W

30° 41' 56" N

Elevation: No Data

Well County: Brazos

Type of Work: New Well Proposed Use: Public Supply

Bottom Depth (ft.)

Drilling Start Date: 2/15/2006 Drilling End Date: 5/26/2006 Plans Approved by TCEQ - YES

Borehole:

Diameter (in.)	Top Depth (ft.)	Bottom Depth (ft.)
36	0	40
24	40	441
18	441	540

Drilling Method: Mud (Hydraulic) Rotary

Borehole Completion: Filter Packed; 24" Underream

Top Depth (ft.)

Filter Pack Intervals:

Annular Seal Data:

361	540	Gravel
Top Depth (ft.)	Bottom Depth (ft.)	Description (number of sacks & material)
0	441	546

Filter Material

Seal Method: Positive Displacement

Distance to Property Line (ft.): No Data

Sealed By: Advanced Oilwell Service

Distance to Septic Field or other concentrated contamination (ft.): **No Data**

concentrated contamination (it.). No Data

Distance to Septic Tank (ft.): No Data

Method of Verification: No Data

Size

Surface Completion: Surface Slab Installed

Water Level: 132.4 ft. below land surface on 2006-06- Measurement Method: Unknown

80

Packers: n/a

Type of Pump: Turbine Pump Depth (ft.): 350

Well Tests: Pump Yield: 1218 GPM with 81.6 ft. drawdown after 36 hours

Strata Depth (ft.)	Water Type
No Data	No Data

Chemical Analysis Made: Yes

Did the driller knowingly penetrate any strata which

contained injurious constituents?: No

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: J & S Water Wells

P.O. Box 675 Bellville, TX 77418

Driller Name: Monte D. Richardson License Number: 54385

Comments: Type pump: Goulds Model # 11CMC-7 / 125 HP USEM

\$mew

TWDB SW #59-21-510 7/8/2010 Doc Jones

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Top (ft.)	Bottom (ft.)	Description
0	40	30-inch Conductor
40	44	Red Clay
44	65	Gray Sand & Rocks
65	92	Gray Clay & Sand Streaks
92	127	Gray Clay
127	185	Gray Shale
185	233	Rocks & Shale
233	243	Gray Sand & Shale Streaks
243	285	Gray Shale & Clay
285	333	Gray Semi-Coarse Sand
333	360	Gray Clay
360	365	Sand
365	420	Gray Clay
420	500	Light Gray Coarse Sand
500	520	Hard Rocks & Coarse Sand
520	577	Hard Gray Clay

Dia. (in.)	New/Used	Type	Setting From/To (ft.)	
Installe origina		Reco	rd & Figure attached to	

577	600	Gray Sand & Rocks
600	630	Gray Sand
630	640	Rocks & Sand
640	688	Clay & Sand Streaks
688	780	Gray Sand Mixed with Some Rocks
780	790	Gray Clay
790	864	Gray Sand & Rocks
688	780 790	Gray Sand Mixed with Som Rocks Gray Clay

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Owner: CITY OF COLLEGE STATION WELL #

Address: 300 KRENEK RD, 2ND FLOOR

COLLEGE STATION, TX 77840

Well Location: **4036 WEST OSR**

Brazos

BRYAN, TX 77807

Grid #:

Owner Well #:

30° 42' 32" N

59-20-3

Latitude:

Longitude: 096° 30' 24" W

Elevation: No Data

Type of Work: New Well Proposed Use: **Public Supply**

Drilling Start Date: 10/19/2009 Drilling End Date: 3/6/2010 Plans Approved by TCEQ - YES

Borehole:

Well County:

Diameter (in.)	Top Depth (ft.)	Bottom Depth (ft.)
42	0	86
30	86	1200
22	1200	2146

Drilling Method: Mud (Hydraulic) Rotary

Filter Packed; Under-reamed Borehole Completion:

Filter Pack Intervals:

Top Depth (ft.)	Bottom Depth (ft.)	Filter Material	Size
1986	2749	Gravel	12/20

Annular Seal Data:

Top Depth (ft.)	Bottom Depth (ft.)	Description (number of sacks & material)	
0	86	92	
0	2146	2083	

Seal Method: Positive Displacement

Distance to Property Line (ft.): 50

Sealed By: SCHLUMBERGER

Distance to Septic Field or other concentrated contamination (ft.): 150

Distance to Septic Tank (ft.): No Data

Method of Verification: ENGINEERING FIRM

Surface Slab Installed Surface Completion:

Water Level: 103.33 ft. below land surface on 2010-03- Measurement Method: Unknown

06

Packers: N/A

Turbine Type of Pump: Pump Depth (ft.): 585

Yield: 3002 GPM with 70 ft. drawdown after 36 hours Well Tests: **Pump**

Plug Information:

Description (number of sacks & material)	Top Depth (ft.)	Bottom Depth (ft.)
2790 TO 2750 40 SACKS		

Strata Depth (ft.)

Water Type

Water Quality:

SEE ABOVE FRESH

Chemical Analysis Made: Yes

Did the driller knowingly penetrate any strata which

contained injurious constituents?: No

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: ALSAY INCORPORATED

6615 GANT

HOUSTON, TX 77066

Driller Name: BRITT ROLLIE License Number: 4992

Apprentice Name: DAVID SIGMAN Apprentice Number: 58292

Comments: Hammons, Travis P.

58346

TWDB swn 5920317 added 3/19/2013

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

From (ft) To (ft) Description	Dia. (in.) New/Used Type Setting From/To (ft.)
0 û 6 Sub-structure	36 N STEEL 0-86 .312
6 û 27 Dark Brown Clay	24 N STEEL (ABOVE NAT. GRND LVL) 12-1200 .500
27 û 68 Gravel	16 N STEEL W/SWEDGE 1200-2146 .500
68 û 132 Gray Sandy Clay	10-3/4 N STEEL W/SS SCREEN 1976-2160 .500
132 û 204 Dark Gray Coarse Sand w/ Lignite	10-3/4 N STEEL W/SS SCREEN 2160-2284 .500
204 û 244 Dark Gray Clay	10-3/4 N STEEL W/SS SCREEN 2284-2292 .500
244 û 256 Sand (Dark Gray)	10-3/4 N STEEL W/SS SCREEN 2292-2466 .500
256 û 266 Clay (Dark Gray)	10-3/4 N STEEL W/SS SCREEN 2466-2472 .500
	10-3/4 N STEEL W/SS SCREEN 2472-2484 .500
266 û 332 Sand (w/ Clay Streaks)	10-3/4 N STEEL W/SS SCREEN 2484-2489 .500
332 û 362 Clay (Dark Gray)	10-3/4 N STEEL W/SS SCREEN 2489-2550 .500
362 û 400 Sand (Dark Gray)	10-3/4 N STEEL W/SS SCREEN 2550-2556 .500
400 û 424 Clay (Dark Gray)	10-3/4 N STEEL W/SS SCREEN 2556-2577 .500
424 û 610 Sand (Gray)	10-3/4 N STEEL W/SS SCREEN 2577-2582 .500
610 û 634 Clay (Dark Gray)	10-3/4 N STEEL W/SS SCREEN 2582-2592 .500

634 û 700 Sand (Gray)
700 û 870 Clay (Gray)
870 û 930 Gray Sandy Clay
930 û 1122 Sand (Few Clay Streaks)
1122 û 1228 Clay (Gray)
1228 û 1268 Sandy Clay (Gray)
1268 û 1282 Clay (Gray)
1282 û 1370 Sandy Gray Clay
1370 û 1702 Clay (Gray)
1702 û 1774 Sandy Gray Clay
1774 û 1804 Clay (Gray)
1804 û 1814 Sand (Gray)
1814 û 1842 Sandy Clay (Gray)
1842 û 1926 Sand (Gray)
1926 û 1960 Sandy Gray Clay
1960 û 1996 Sand (Gray)
1996 û 2010 Clay (Gray)
2010 û 2036 Sand (Gray)
2036 û 2050 Clay (Gray)
2050 û 2054 Sand
2054 û 2066 Clay (Gray)
2066 û 2132 Sand (Gray)
2132 û 2160 Sandy Clay (Gray)
2160 û 2284 Sand
2284 û 2292 Clay (Whitish Gray)
2292 û 2594 Sand (Some Lignite Streaks)
2594 û 2630 Clay (Gray)
2630 û 2816 Sand
2816 û 2860 Sandy Clay (Gray)
2860 û 2874 Sand
2874 û 2904 Clay (Gray)

10-3/4 N STEEL W/SS SCREEN 2592-2631 .500 10-3/4 N STEEL W/SS SCREEN 2631-2724 .500 10-3/4 N STEEL W/SS SCREEN 2724-2749 .500

2904 û 3007 Sandy Gray Clay

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Owner: City of College Station Owner Well #: No Data

Address: 1101 Texas Avenue Grid #: 59-21-4

College Station, TX 77842

Latitude: 30° 41' 54" N

Well Location: 6 mi. N Hwy21 on OSR
College Station, TX 77842
Longitude: 096° 29' 19" W

Well County: Brazos Elevation: No Data

Type of Work: New Well Proposed Use: Public Supply

Drilling Start Date: 1/25/2006 Drilling End Date: 2/9/2006 Plans Approved by TCEQ - YES

1110

 Diameter (in.)
 Top Depth (ft.)
 Bottom Depth (ft.)

 Borehole:
 24
 0
 40

 22
 40
 1110

Drilling Method: Mud (Hydraulic) Rotary

Borehole Completion: Filter Packed; Under-reamed

18

Top Depth (ft.) Bottom Depth (ft.) Filter Material Size

Filter Pack Intervals: 1020 1360 Gravel

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

1006

Seal Method: Positive Displacement Distance to Property Line (ft.): No Data

Sealed By: Advanced Oilwell Services Distance to Septic Field or other

concentrated contamination (ft.): No Data

Distance to Septic Tank (ft.): No Data

Method of Verification: No Data

1360

Surface Completion: Surface Slab Installed

Water Level: 83.7 ft. below land surface on 2006-05-15 Measurement Method: Unknown

Packers: No Data

Type of Pump: Turbine Pump Depth (ft.): 460

Well Tests: Pump Yield: 863 GPM with 210 ft. drawdown after 36 hours

Strata Depth (ft.)	Water Type
No Data	No Data

Chemical Analysis Made: Yes

Did the driller knowingly penetrate any strata which

contained injurious constituents?: No

Certification Data:

The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the report(s) being returned for completion and resubmittal.

Company Information:

Driller Name: Monte Richardson License Number:

Comments: Carrizo Well #1

24 conductor 36' Hole

24' Underream

^CLH

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

54385

Top (ft.)	Bottom (ft.)	Description
0	40	24 inch conductor
40	126	gray clay
126	140	gray sand
140	170	clay
170	185	gray sand
185	240	rocks & clay
240	350	rocks & gray sand
350	380	hard gray shale
380	400	gray sand & rocks
400	413	gray clay
413	423	hard gray sand with coal streaks
423	454	gray clay & coal
454	510	gray clay & rocks
510	540	sand & coal

Dia. (in.)	New/Used	Type	Setting From/To (ft.)		
See Attached Installed Material record					

540	570	sand & rocks with coal streaks
570	618	gray clay & coal
618	628	gray sand
628	640	gray clay
640	685	gray sand
685	705	gray clay
705	826	gray sand
826	1030	hard gray clay
1030	1115	gray clay & rocks
1115	1260	white sand & rocks
1260	1290	white sand with clay streaks
1290	1330	gray clay
1330	1340	white sand & rocks
1340	1390	gray clay
1390	1400	white sand
1400	1415	coal
1415	1446	hard gray clay

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Owner: City of College Station Owner Well #: 9

Address: **PO Box 9960** Grid #: **59-20-3**

College Station, TX 77842

Latitude: 30° 43' 20.5" N

Well Location: 4192 W OSR Rd
Bryan, TX 77807 Longitude: 096° 30' 31.8" W

Well County: Robertson Elevation: 250 ft. above sea level

Type of Work: New Well Proposed Use: Public Supply

Drilling Start Date: 1/28/2018 Drilling End Date: 4/29/2018 Plans Approved by TCEQ - YES

PWS# 0210002

 Diameter (in.)
 Top Depth (ft.)
 Bottom Depth (ft.)

 Borehole:
 30
 0
 1200

 26
 1200
 2630

12.25 2630 2800

Drilling Method: Mud (Hydraulic) Rotary

Borehole Completion: Filter Packed; Screened; Under-reamed

Filter Pack Intervals:

Top Depth (ft.)

Bottom Depth (ft.)

Filter Material

Size

Filter Pack Intervals:

2078

2634

Gravel

12/20

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

Cement 3425 Bags/Sacks

Seal Method: **Pressure** Distance to Property Line (ft.): **No Data**

Sealed By: Driller Distance to Septic Field or other

concentrated contamination (ft.): No Data

Distance to Septic Tank (ft.): No Data

Method of Verification: No Data

Surface Completion: Surface Slab Installed Surface Completion NOT by Driller

Water Level: 144.33 ft. below land surface on 2018-04- Measurement Method: Electric Line

29

Packers: No Data

Type of Pump: Turbine Pump Depth (ft.): 420

Well Tests: Pump Yield: 3503 GPM with 59.61 ft. drawdown after 36 hours

Plug Information:

Description (number of sacks & material)	Top Depth (ft.)	Bottom Depth (ft.)
Cement	2634	2800

Water Quality:

Strata Depth (ft.)	Water Type
2088 - 2610	Fresh

Chemical Analysis Made: Yes

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: Weisinger, Inc

2200 E DAVIS ST Conroe, TX 77301

Driller Name: Larry Jernigin License Number: 50285

Apprentice Name: Seth Flynt Apprentice Number: 59915

Comments: Datum Point (FT): 12ft above ground level for lithology, Casing, Screen, Liner and

well completion depths.

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Top (ft.)	Bottom (ft.)	Description
0	160	sand
160	220	sand with clay seams
220	305	sand
305	310	sandy clay
310	550	sand
550	580	sandy clay
580	635	sand
635	740	sandy clay
740	770	clay with sand seams
770	785	clay
785	795	clay/sand
795	1000	sand with clay seams
1000	1020	clay
1020	1070	sand
1070	1085	sandy clay

Dla (in.)	Туре	Material	Sch./Gage	Top (ft.)	Bottom (ft.)
24	Surface Casing	New Steel	.500	2	1200
20	Surface Casing	New Steel	.500	1200	2078
14	Blank	New Steel	.500	1928	2088
14	Screen	New Pipe Base Stainless Steel	.500 0.025	2088	2358
14	Blank	New Steel	.500	2358	2368
14	Screen	New Pipe Base Stainless Steel	.500 0.025	2368	2430
14	Blank	New Steel	.500	2430	2444
14	Screen	New Pipe Base Stainless Steel	.500 0.025	2444	2610
14	Blank	New Steel	.500 0.5	2610	2630

sand/lignite
clay/lignite
sand lignite
clay/lignite
sand/lignite
sand
sandy clay/ lignite
sandy clay/lignite
5 clay
sand/clayseams/lignite
sand/lignite seams
sand seams/shale/lignite

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.