

ATTACHMENT 4

Records for Selected Existing Skiles Wells

Attendee Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12187 Austin, Texas 78711 (512)483-7880 FAX (512)483-8616
Toll free (800)903-8292

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

Email address: water.well@license.state.tx.us

B685

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Barton farm	Rt 1 Box 250	Hearne	TX	77859

2) WELL LOCATION

County	Physical Address	City	State	Zip
Robertson	FM 1644	Hearne	TX	77859

3) Type of Work

New Well Reconditioning
 Replacement Deepening

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply Dewatering Test Well
 Rig Supply If Public Supply well, were plans submitted? Yes No

5) NT

6) Drilling Date

Started 02/01/01
Completed 07/06/01

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
32	0	55
24	55	620

7) Drilling Method (check) Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other Rev. Circulation

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other
 If Gravel Packed give the interval from 40 ft. to 680 ft.

Dia. (in)	New Or Used	Steel, Plastic, etc. Port, Slotted, etc Screen Mfg., if commercial	Setting (ft) From To	Cage Casing Screen
30	N	Steel	42-55	
16	N	Steel	72-400	
10	N	Steel	400-520	
10	N	PIPE CASE SS. SCA	520-560	.032

9) Cementing Data (LOVE)
 Cementing from 0 ft. to 10 ft. No. of sacks used 9
435 ft. to 560 ft. No. of sacks used 55
 Method Used TX 5m-15
 Cementing by Brien Water Wells
 Distance to septic system field or other concentrated contamination 0 ft.
 Method of verification of above distance Stepped

13) Plugged Well plugged within 48 hours
 Casing left in well: Cement/Bentonite placed in well:
 From (ft) To (ft) From (ft) To (ft) Sacks used

N/A

14) Type Pump
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowl, cylinder, jet etc. 300 ft.

15) Water Test
 Type test Pump Duffler Jetted Ball-mated
 Yield: 2400 gpm with 130 ft. drawdown after 6 hrs.

16) Water Quality
 Did you knowingly penetrate a strata which contains undesirable constituents?
 YES NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
 Type of water _____ Depth of Strata _____
 Was a chemical analysis made Yes No

10) Surface Completion
 Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pile Adapter Used
 Approved Alternative Procedure Used

11) Water Level
 Static level 47 ft. below Date 7/06/01
 Artesian Flow _____ gpm. Date _____

12) Packers

Type	Depth
N/A	

Company or individual's Name (type or print) Brien Water Wells Lic. No. 01564 W
 Address Rt 1 Box 702 City Hearne State TX Zip _____

Signature [Signature] Date 08/28/01 Signature [Signature] Date 8/28/01
 I hereby certify that the information furnished on this form is true and correct to the best of my knowledge and belief, and that I am a duly licensed Driller/Pump Installer in the State of Texas.

BOLTON FORMS

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
CONFIDENTIALITY**

B685

Section 32.005 of the Texas Water Code, concerning confidentiality information in the Reporting of Well Reports, reads as follows:

Every licensed driller drilling, deepening, or otherwise altering a water well in this state shall make and keep a legible and accurate well log in accordance with department rules on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department, the Texas Natural Resource Conservation Commission, and the owner of the well or the person for whom the well was drilled. The well log shall be reported at the time of drilling and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rules. The department shall hold the contents of the well log confidential and not a matter of public record. If it receives, by certified mail, a written request to do so from the owner or the person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft)	To (ft)	Description and color of formation material
691	700	shale

CASING BLANK well Screen DATA

DIA	New or Used	Material	Setting	Slot size
10	N	Steel Pipe	560-670	
10	N	Pipe Base	670-680	032
		S.S. Screen		

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12187 Austin, Texas 78711 (512)463-7800 FAX (512)463-8616
Toll free (800)803-9202

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

H525

Email address: water.well@license.state.tx.us

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER
Name: **Harlay Farm** Address: **Rt 1 Box 250** City: **Hearne** State: **TX** Zip: **77859**

2) WELL LOCATION
County: **Robertson** Physical Address: **FM 16 44** City: **Hearne** State: **TX** Zip: **77859**

3) Type of Work
 New Well Reconditioning
 Replacement Deepening
4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 Rig Supply If Public Supply well, were plans submitted? Yes No

5) Drilling Date
Started: **05/01/01**
Completed: **08/25/01**

6) Diameter of Hole

Dia. (in.)	From (ft)	To (ft)
24	0	875

7) Drilling Method (check) Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other **Rev. Circulation**

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other
If Gravel Packed give the interval from **600** ft. to **775** ft.

Dia. (in.)	New Or Used	Steel, Plastic, etc. Port, Slotted, etc. Screen Mfg., if commercial	Setting (ft) From To	Casing Screen
16	N	Steel Pipe	72-600	
10	N	Steel Pipe	620-720	
10	N	HP Base S. - Chem	720-760	032
10	N	Steel Pipe	760-770	

9) Cementing Data (over)
Cementing from **0** ft. to **10** ft. # of sacks used **12**
570 ft. to **600** ft. # of sacks used **30**
Method Used **Right Time**
Cementing By **Brick Water Wells**
Distance to septic system field or other concentrated contamination **N/A**
Method of verification of above distance **N/A**

13) Plugged Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

14) Type Pump
 Turbine Jet Submersible Cylinder
 Other
Depth to pump bowl, cylinder, jet etc. **300** ft.

15) Water Test
Type test Pump Duffor Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality
Did you knowingly penetrate a strata which contain undesirable constituents?
 YES NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water: _____ Depth of Strata: _____
Was a chemical analysis made Yes No

11) Water Level
Static level **55** ft. below Date **08/25/01**
Artesian Flow _____ gpm. Date _____

12) Packers

Type	Depth
N/A	

Company or Individual's Name (type or print) **Brien Water Wells** Lic. No. **1564W**
Address **Rt 1 Box 702** City **Hearne** State **TX** Zip **77859**
Signature **[Signature]** Date **08/28/01** Signature **[Signature]** Date **8/28/01**
Licensed Driller/Pump Installer

HANDY FORMS

575

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

Section 92.005 of the Texas Water Code, concerning confidentiality information in the Reporting of Well Reports, reads as follows:

Every licensed driller drilling, deepening, or otherwise altering a water well in this state shall make and keep a legible and accurate well log in accordance with department rules or forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department, the Texas Natural Resource Conservation Commission, and the owner of the well or the person for whom the well was drilled. The well log shall be recorded at the time of drilling and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or the person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft)	To (ft)	Description and color of formation material
58 1/2	582	Rock
582	597	shale
597	674	shale & coal
674	852	sand & rocks
852	875	sand & shale

CASING, BLANK & Well Screen DATA		Setting	Gauge
DIA	NO. OF		
		Steel, Plastic etc	
10	N	Pipe Base S.S. Screen	780-820 .032
10	N	Steel Pipe	820-840
10	N	Pipe Base S.S. Screen	840-860 .032
10	N	Steel Pipe	860-875

6115

Allocation Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation
 Water Well Drilled Pump Installer Program
 P.O. Box 12167 Austin, Texas 78711 (512)463-7000 FAX (512)463-8816
 Toll free (800)843-8202
 Email address: water.well@licensing.texas.gov

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

I. WELL IDENTIFICATION AND LOCATION DATA

DOWNER
 Name: Cliff Skiles Address: 1506 W. Park Ave City: Hereford State: TX Zip: 79045

II. WELL LOCATION
 County: Robertson Physical Address: Goodland Farm City: Hearne State: TX Zip: 77851

III. TYPE OF WORK
 New Well Reconditioning Repairment Deepening
 Proposed Use (check) Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Testwell High Supply Mobile Supply well, were plans submitted? Yes No

IV. DRILLING DATA
 Started: 08/14/01 Completed: 10/05/01
 Diameter of Hole:

Depth (ft)	From (ft)	To (ft)
34"	0	68
24"	68	1054

 Drilling Method (check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Auger Other Reverse Circulation

V. Borehole Completion Open Hole Straight Wall Under-reamed Gravel Packbed Gravel Packbed with the interval from 787 ft to 1054 ft

Depth (ft)	Material	Gravel (ft)	Casing Screen
0 - 65	Clay sand & Gravel		
65 - 83	Sandy Shale		
83 - 85	Rock		
85 - 198	Sandy shale		
198 - 199	Rock		
199 - 278	Shale & Rocks		
278 - 285	Sand		
285 - 306	S-Shale		
306 - 326	Sand		
326 - 347	S-Shale		

VI. CEMENTING DATA
 Cementing Date: 8/21/01 to 8/21/01 ft. Per inch used 12
 Method Used: GRAVEL & PRECAST
 Cementing By: SCIM WATER WELLS
 Method of verification of above data: N/A

VII. SURFACE COMPLETION
 Specified Surface Slat Installed Specified Surface Slown Installed Picket Adapter Used Approved Alternative Procedure Used

VIII. WATER LEVEL
 Static Level: 58 ft. below Date: 8/27/01
 Artesian Flow: _____ ft. Date: _____

IX. WATER QUALITY
 Did you knowingly penetrate a strata which contains undesirable constituents?
 YES NO If you, did you submit a REPORT OF UNDESIRABLE WATER
 Type of water: _____ Depth of Strata: _____
 Were chemical analysis made? Yes No

X. COMPANY INFORMATION
 Company or individual's Name (type or print): Brien Water Wells Lic. No. 01564 W
 Address: RT 1 Box 702 City: Hearne State: TX Zip: 77851

XI. SIGNATURES
 Signature: [Signature] Date: 10/05/01
 Signature: [Signature] Date: 10/15/01

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
CONFIDENTIALITY**

G115

Section 32.003 of the Texas Water Code, concerning confidentiality information in the Reporting of Well Reports, reads as follows:

Every licensed driller drilling, deepening, or otherwise altering a water well in this state shall make and keep a legible and accurate well log in accordance with departmental rule or forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department, the Texas Natural Resource Conservation Commission, and the owner of the well or the person for whom the well was drilled. The well log shall be recorded at the time of drilling and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing parts, the depth, size, and character of casing installed, and any other information required by departmental rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or the person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft)	To (ft)	Description and color of formation material
347	402	sand
402	410	Coal & Rocks
410	490	Shale & Rocks
490	520	Sand (B)
520	708	Shale
708	717	Sand (B)
717	900	Shale, streaks of Coal-Rocks
900	940	Sand (broken) coal streaks
940	979	Sand
979	1010	Sand & clay
1010	1038	sand, streaks of Coal
1038	1054	sand, streaks of Coal, Rocks

By Big Brazos K.

Information Owners: Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation Water Well Drilling/Pump Installer Program P.O. Box 12107 Austin, Texas 78711 (512) 463-7000 FAX (512) 463-3818 Toll Free (800) 603-6202 Email address: water.well@dlr.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

#675

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER Name: Dr. Cliff Skiles Address: Rt. 1 Box 250 City: Hearne State: TX Zip: 77859

2) WELL LOCATION County: Robertson Physical Address: Goodland Farm #4 City: Hearne State: TX Zip: 77859

3) Type of Work: New Well, Replacement, Recons/Relining, Deepening. 4) Proposed Use: Irrigation, Industrial, Residential, etc. 5) NT

6) Drilling Date: Started 11/24/03, Completed 12/18/03. Diameter of Hole: Dia (in), From (ft), To (ft). 7) Drilling Method: Reverse Circulation, Air Rotary, etc.

Table with 4 columns: From (ft), To (ft), Description and color of formation/material, and Casing/Pipe/Well Screen Data (Dia, New Gr Used, Steel/Plastic/etc, Setting (ft), Casing Screen).

13) Plugged Well: Well plugged within 48 hours. Cement/Grout placed in well. From (ft), To (ft), From (ft), To (ft), Grout used.

14) Type Pump: Turbine, Jet, Submersible, Cylinder, Other. Depth to pump bowls/cylinder, etc.

15) Water Test: Type of Pump, Yield: 650 gpm with 43 ft drawdown after 2 hrs.

16) Water Quality: Did you knowingly produce a strata which contain undesirable constituents? YES NO. Type of water, Depth of Strata, Was a chemical analysis made?

8) Borehole Completion: Open Hole, Straight Wall, Under-reamed, Gravel Packed, etc. 9) Cementing Date: Cementing from 790 ft to 840 ft, # of sacks used 50.

10) Surface Completion: Specified Surface Slick Installed, Specified Surface Screens Installed, etc.

11) Water Level: Static level 8.2 ft below Date 12/15/06. Artesian Flow: none.

12) Packers: Table with columns for Type and Depth. N/A

Company or individual's Name (type or print): Brien Water Wells Lic No. 2854 WF

Address: 5214 South Hwy 6 City: Hearne State: TX Zip: 77859

Signature: [Signature] Date: 2/6/08

FOTO TO FARM

Attention Owners
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)403-7000 FAX (512)463-8010
Toll free (800)803-9282
Email address: water.well@license.tdlr.state.tx.us

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

H 345

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) DOWNHOLE

Name	Address	City	State	Zip
Dr. Cliff Skiles	Rt. 1 Box 250	Hearne	TX	77859

2) WELL LOCATION

County	Physical Address	City	State	Zip
Robertson	FM 1644	Hearne	TX	77859

3) Type of Work

4) Proposed Use (check) Monitor Environmental Soil Doring Domestic NT

New Well Reconditioning Individual Irrigation Injection Public Supply Dewatering Testwell

Replacement Dewatering Rin Supply (If Public Supply well, were plans submitted? Yes No

6) Drilling Date

Started 11/24/03 Completed 01/23/04

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
36	0	60
24	55	930

7) Drilling Method (check) Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jotted Other Reverse Circu.

8) Borehole Completion Open Hole Straight Wall Under-reamed Gravel Packed Other

If Gravel Packed give the interval from 725 ft to 930 ft.

9) Cementing Data +1 - 13 10 yds
Cementing from 42 ft to 55 ft. # of sacks used 35
685 ft. to 725 ft. # of sacks used 50

Method Used Tremie
Cementing By Brien Water Wells
Distance to septic system field or other concentrated contamination N/A
Method of verification of above distance N/A

From (ft)	To (ft)	Dia. (in)	New Or Used	Steel, Plastic, etc. Part, Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Casing Above Screen
					From	To	
0	18						
18	22						
22	55						
55	80						
80	110						
110	117						
117	210						
210	222						
222	338						
338	448						

(Use reverse side of Well Owner's copy, if necessary)

13) Plugged Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

14) Type Pump Turbine Jet Submersible Cylinder Other NA
Depth to pump handle, cylinder, etc. ft.

15) Water Test

Typetest Pump Dailer Jotted Estimated

Yield: 550 gpm with 46 ft. drawdown after 2 hrs.

16) Water Quality

Did you knowingly penetrate a strata which contain undesirable constituents?
 YES NO If yes, did you submit a REPORT OF UNDESIRABLE WATER

Type of water: _____ Depth of Strata: _____
Was a chemical analysis made Yes No

10) Surface Completion Specified Surface Slab Installed Specified Surface Sleeve Installed Pilefoot Adapter Used Approval Alternative Procedure Used

11) Water Level

Static level 6.3 ft. below Date 01/23/04
Artesian Flow _____ gpm. Date _____

12) Packers Type _____ Depth _____

Company or Individual's Name (type or print) Brien Water Wells Lic. No. 2854 WP

Address 5214 S. Hwy 6 City Hearne State TX Zip 77859

Signature [Signature] Date 2/17/04

AdJ CONT to 4485 Highway 1

Texas Department of License and Regulation
 Water Well Driller/Pump Installer Program
 P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8816
 Toll Free (800) 803-8202
 Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

615

WELL REPORT

1) WELL IDENTIFICATION AND LOCATION DATA

Name: Goodland Farms#3 Address: Rt. 1 Box 250 City: Hearne State: Tx Zip: 77859

2) WELL LOCATION

County: Robertson Physical Address: FM 485 City: Hearne State: Tx Zip: 77859

3) Type of Work: New Well Reconditioning Replacement Deepening
 4) Proposed Use (check): Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Tank-fill Kig Supply
 If Public Supply well, were plans submitted? Yes No

6) Drilling Date: Started 11 / 18 / 02 Completed 12, 13 / 02
 7) Drilling Method (check): Air Rotary Mud Rotary Conrod Air Hammer Cable Tool Kased Over Rev. Circulation
 Diameter of Hole: Dia (in) From (ft) To (ft)
 36 0 67
 24 67 1187

8) Borehole Completion: Open Hole Straight Well Under-reamed Gravel Packed Other
 If Gravel Packed, give the interval from 825 ft to 1187 ft
 Casing, Blank Pipe, and Well Screen Data:

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf. Slotted, etc Screen Mfg. If commercial	Setting (ft) From To	Casing or Screen
		See Details		
		back page		

9) Cementing Data: 0 - 10 50 sgs
 Cementing from 48 ft to 75 ft 2nd sack used 50
 784 ft to 825 ft # of sacks used 50
 Method Used: Grout Pressure
 Cementing By: E. Brien
 Distance to nearby system field or other concentrated water source: 0 ft
 Method of verification of above distance: n/a

13) Plugged: Well plugged within 48 hours
 Casing left in well: Cement/Grout placed in well:
 From (ft) To (ft) From (ft) To (ft) Sacks used
 N/A

14) Type Pump: Turbine Jet Submersible Cylinder
 Other: N/A
 Drill to pump bore, cylinder, etc.: ft

15) Water Test: Type test: Pump Bailor Jisted Estimated
 Yield: 250 gpm with 11.2 ft drawdown after 2 hrs.
 16) Water Quality: Did you knowingly purchase a water which comes in undesirable conditions?
 YES NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
 Type of water: Depth of bore: Was a chemical analysis made: Yes No

10) Surface Completion: Specified Surface Sigh Installed Specified Surface Sighs Installed Filler Adapter Used Approved Alternative Procedure Used
 11) Water Level: Static level: 62 ft below DTM 12/19/02
 Artesian flow: gpm Date: 1/1
 12) Packers: Type Depth
 N/A

Company or individual's Name (type or print): Brien Water Wells Lic. No. 52000 WI
 Address: Rt. 1 Box 702 City: Hearne State: Tx Zip: 77859
 Signature: Donald Cooper Date: 12/24/02
 Licensed Driller/Pump Installer
 Apprentice: Date:

615

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
CONFIDENTIALITY**

Section 32.005 of the Texas Water Code, concerning confidentiality information in the Reporting of Well Reports, reads as follows:

Every licensed driller drilling, deepening, or otherwise altering a water well in this state shall make and keep a legible and accurate well log in accordance with department rule or forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department, the Texas Natural Resource Conservation Commission, and the owner of the well or the person for whom the well was drilled. The well log shall be recorded at the time of drilling and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or the person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft)	To (ft)	Description and color of formation material
1127	1187	Sand
Casing, Blank Pipe, & Well Screen Data		
Dia.	New	Fr. to
30	N Steel	0 - 65
16	N Steel	+2 - 984
16	N Pipe Base S.S.Scr.	984 - 1005
16	N Steel	1005 - 1033
16	N Steel	1033 - 1054
16	N Steel	1054 - 1082
16	N Pipe Base S.S.Scr.	1082 - 1103
16	N Steel	1103 - 1131
16	N Pipebase S.S.Scr	1131 - 1173
16	N Steel	1173 - 1175

Gage

.028

.028

.028

North H. Broughton

2

Texas Department of License and Regulation
 Water Well Driller/Pump Installer Program
 P.O. Box 12157 Austin, Texas 78711 (512)483-7600 FAX (512)483-8616
 Toll free (800)803-8202
 Email address: water.well@licsnc.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

G 255

WELL REPORT

WELL IDENTIFICATION AND LOCATION DATA

1) OWNER Name: Goodland Farms#2 Address: Rt. 1 Box 250 City: Hearne State: Tx Zip: 77859

2) WELL LOCATION County: Robertson Physical Address: FM 1644 City: Hearne State: Tx Zip: 77859

3) Type of Work: New Well Reconditioning Replacement Deepening

4) Proposed Use (check): Municipal Environmental Soil Doring Domestic Industrial Irrigation Injection Public Supply De-watering Testwell Pig Supply

If Public Supply well, were plans submitted? Yes No

5) NT

6) Drilling Date: Started 10/14/02 Completed 11/07/02

Diameter of Hole:

1 1/2" (in)	From (ft)	To (ft)
36	0	72
24	72	979

7) Drilling Method (check): Air Rotary Mud Rotary Down Air Hammer Cable Tool Jack Other Rev. Circulation

8) Borehole Completion: Open Hole Straight Wall Under-reamed Gravel Packed Other

If Gravel Packed give the interval from 979 ft to 795 ft

Casing, Blank Pipe, and Well Screen Data:

Dia. (in)	New Or Used	Steel, Plastic, etc. Perf. Slotted, etc. Screen Mfg. if commercial	Setting (ft)		Cage Casing Screen
			From	To	
30	N	Steel	0	70	
16	N	Steel	+2	845	
16	N	Pipe Base S.S. screen	845	908	032
16	N	Steel	908	928	

16) N. Pipe Base S.S. scr. 928-970. 032

9) Cementing Data: Cementing from 0 ft to 10 ft of section and 50 ft to 928 ft of section and 50 ft to 979 ft of section and 50 ft to 979 ft of section.

Method Used: Grout & Pressure

Cementing By: B. Brien

Distance to septic system field or other concentrated contamination: 0 ft.

Method of verification of cure: NA

13) Plugged: Well plugged within 48 hours. Casing left in well: Cement/Bentonite placed in well.

From (ft)	To (ft)	From (ft)	To (ft)	Seals used
	N/A			

14) Type Pump: Turbine Jet Submersible Cylinder Other N/A

Depth to pump bowl, 5/8" dia., etc.: 0

15) Water Test: Typing: Pump Jetter Jetted Estimated

Yield: 750 gpm with 50 ft drawdown after 2 hrs.

16) Water Quality: Did you knowingly generate a strata which contain undesirable constituents? YES NO

If yes, did you submit a REPORT OF UNDESIRABLE WATER? YES NO

Type of water: _____ Depth of Strata: _____

Was a chemical analysis made? Yes No

11) Water Level: Static level 67 ft below Date 11/07/02

Artesian Flow _____ gpm. Date _____

12) Packers: Type _____ Depth _____

N/A

Company or individual's Name (type or print): Brien Water Wells Lic. No. 4470 WI

Address: Rt. 1 Box 702 City: Hearne State: Tx Zip: 77859

Signature: [Signature] Date: 11.07.02 Signature: _____ Date: _____

Driller: _____ Apprentice: _____

Texas Department of License and Regulation
 Water Well Driller/Pump Installer Program
 P.O. Box 12157 Austin, Texas 78711 (512) 483-7800 FAX (512) 403-8618
 Toll free (800) 803-9202
 Small address: water.well@lic.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

B67S

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name Barton Farm	Address Box 250	City Hearne	State TX	Zip 77859
----------------------------	---------------------------	-----------------------	--------------------	---------------------

2) WELL LOCATION

County Robertson	Physical Address FM 1644	City Hearne	State TX	Zip 77859
----------------------------	------------------------------------	-----------------------	--------------------	---------------------

3) Type of Work

New Well Reconditioning
 Replacement Deepening

4) Proposed Use (check) Manure Environmental Soil Borings Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 Air Supply If Public Supply well, were plans submitted? Yes No

5) NT

6) Drilling Date

Started **11/13/01** Completed **1/14/02**

Diameter of Hole		
Dia. (in.)	From (ft)	To (ft)
32	0	55
2 1/4	55	720

7) Drilling Method (check) Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other **Rev. Circulation**

From (ft) To (ft) Description and color of formation material	B) Borehole Completion <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other (If Gravel Packed, also the interval from _____ ft. to _____ ft. Casing, Blank Pipe, and Well Screen Data
0-36 CLAY & SAND	
36-51 SAND & GRAVEL	
51-197 SHALE w/ COAL STREAKS	
197-212 SAND (S)	
212-490 SHALE, LENS, COAL STREAKS	
491-508 SAND (S)	
508-540 SAND & SHALE	
540-566 SHALE	
566-597 SAND	
597-625 SAND & S-SHALE	
(Use reverse side of Well Owner's copy, if necessary)	

Dia. (in.)	New Or Used	Steel, Plastic, etc. Port. Slotted, etc. Screen M/S, if commercial	Setting (ft)		Casing Screen
			From	To	
N	30	STEEL PIPE	72	66	
N	16	"	72	497	
N	16	REBAR SS 5/8"	497	537	035
N	16	STEEL PIPE	537	680	

13) Plugged Well plugged within 48 hours
 Casing left in well Cement/Material placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Spoken used
		N/A		

9) Cementing Data (Cover)

Cementing from _____ ft. to _____ ft. of casing used **25'**
 _____ ft. to _____ ft. of casing used **72'**
 Method used **TO BE DONE**
 Cementing by **BRIEN WATER WELLS**
 Distance to septic system field or other concentrated collection system **200'**
 Method of verification of above distance **SKIPPED**

14) Type Pump

Turbine Jet Submersible Cylinder
 Other

Depth to pump bowls, cylinder, etc. **310'**

15) Water Test

Type of test Pump Deline Isolated Stallmarked
 Yield **400** gpm with **2.5** ft. drawdown after **12** hrs.

10) Surface Completion

Specified Surface Slab Installed
 Specified Surface Slope Installed
 Plenum Adapter Used
 Approved Alternative Procedures Used

11) Water Level

Static level **44'** A. below Date **1/14/02**
 Artesian Flow _____ gpm Date _____

16) Water Quality

Did you knowingly produce a strata which contain undesirable constituents?
 YES NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
 Type of water _____ Depth of Sample _____
 Was a chemical analysis made Yes No

12) Packers

Type	Depth
N/A	

Company or individual's Name (type or print) BRIEN WATER WELLS	Lic. No. 1750WI
Address Box 702	City Hearne State TX Zip 77859
Signature	Date 2/19/02 Signature _____ Date _____
Licensed Driller/Pump Installer	Apprentice

B675 Barton Farm #2

IMPORTANT NOTICE FOR PERSONS HAVING WELL DRILLED CONCERNING CONFIDENTIALITY

Section 32.003 of the Texas Water Code, concerning confidentiality information in the Reporting of Well Reports, reads as follows:

Every licensed driller drilling, deepening, or otherwise altering a water well in this state shall make and keep a legible and accurate well log in accordance with department rules on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department, the Texas Natural Resource Conservation Commission, and the owner of the well or the person for whom the well was drilled. The well log shall be recorded at the time of drilling and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or the person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft)	To (ft)	Description and color of formation material
635	642	S-SHALE
642	695	SAND
695	705	SHALE
705	720	S-SHALE

CASING DIA	Blank New or Used	Well Screen Material	DATA Setting	Slot Size
16"	N	ROD BASE S.S. Screen	540 - 600	.035
16"	N	Steel Pipe	600 - 670	
16"	N	ROD BASE S.S. Screen	670 - 610	1035

STATE OF TEXAS WELL REPORT for Tracking #126613

Owner:	Dr. Skiles, Cliff	Owner Well #:	Goodland #5
Address:	Rt 1 Box 250 Hearne, TX 77859	Grid #:	59-11-2
Well Location:	FM 485 & FM 1644 Hearne, TX 77859	Latitude:	30° 52' 13" N
Well County:	Robertson	Longitude:	098° 40' 09" W
Elevation:	No Data	GPS Brand Used:	Not Given
Type of Work:	New Well	Proposed Use:	Irrigation

Drilling Date: Started: 11/5/2004
Completed: 11/17/2006

Diameter of Hole: Diameter: 36 in From Surface To 72 ft
Diameter: 24 in From 72 ft To 1100 ft

Drilling Method: Reverse Circulation

Borehole Completion: Gravel Packed From: (No Data) ft to (No Data) ft
Gravel Pack Size:

Annular Seal Data: 1st Interval: From +1 ft to 12 ft with 3 yds concrete (#sacks and material)
2nd Interval: From 58 ft to 69 ft with 25 cement (#sacks and material)
3rd Interval: From 853 ft to 890 ft with 46 cement (#sacks and material)
Method Used: Pressure & Grout
Cemented By: Brien Water Wells
Distance to Septic Field or other Concentrated Contamination: No Data
Distance to Property Line: 50+ ft
Method of Verification: Measured
Approved by Variance: No Data

Surface Completion: Surface Slab installed

Water Level: Static level: 80 ft. below land surface on 5/17/2007
Artesian flow: No Data

Packers: No Data

Plugging Info: Casing or Cement/Bentonite left in well: No Data

Type Of Pump: Turbine
Depth to pump bowl: (No Data) ft

Well Tests: Jetted
Yield: (No Data) GPM with (No Data) ft drawdown after (No Data) hours

Water Quality: Type of Water: Potable
Depth of Strata: 985-1085 ft.
Chemical Analysis Made: No
Did the driller knowingly penetrate any strata which contained undesirable constituents: No

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: Brien Water Wells
 5214 S. Hwy 6
 Hearne, TX 77859

Driller License Number: 1750

Licensed Well Driller Signature: G. P. Brien

Registered Driller Apprentice Signature: No Data

Apprentice Registration Number: No Data

Comments: Septic field not installed.
 ^EO

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #126613) on your written request.

Texas Department of Licensing & Regulation
 P.O. Box 12157
 Austin, TX 78711
 (512) 463-7880

DESC. & COLOR OF FORMATION MATERIAL

From (ft) To (ft) Description
 0-72 clay & gravel & sand
 72-92 shale
 92-109 S-shale & sand
 109-112 rock
 112-200 shale & S-shale
 200-252 S-shale & sand
 252-260 sand
 260-325 S-shale & shale
 325-326 rock
 326-380 S-shale & sand
 360-465 sand (B)
 465-514 S-shale & shale
 514-594 S-shale & sand (B)
 594-704 S-shale & shale
 704-773 Sand (B)
 773-880 Shale & S-shale
 880-908 shale
 908-918 S-shale & sand
 918-1032 sand
 1032-1039 shale
 1039-1085 sand (B)
 1085-1100 sand & shale

CASING, BLANK PIPE & WELL SCREEN DATA

Dia.	New/Used	Type	Setting From/To
30 N Steel	+1-58		
16 N Steel	+2-980		
16 N Pipe	Base SS Screen	980-1080	.30
16 N Steel	1080-1085		

STATE OF TEXAS WELL REPORT for Tracking #127328

Owner:	Skilas Dr., Cliff	Owner Well #:	Goodland #7
Address:	Ft. 1 Box 250 Heame , TX 77859	Grid #:	69-11-3
Well Location:	FM 485 & FM 1644 Heame , TX 77859	Latitude:	30° 52' 25" N
Well County:	Robertson	Longitude:	096° 39' 32" W
Elevation:	No Data	GPS Brand Used:	Not Given
Type of Work:	New Well	Proposed Use:	Irrigation

Drilling Date: Started: 11/22/2004
Completed: 1/10/2007

Diameter of Hole: Diameter: 36 in From Surface To 72 ft
Diameter: 24 in From 72 ft To 1131 ft

Drilling Method: Reverse Circulation

Borehole Completion: Gravel Packed From: 908 ft to 1113 ft
Gravel Pack Size: 12-20

Annular Seal Data: 1st Interval: From +1 ft to 12 ft with 3 Yds Concrete (#sacks and material)
2nd Interval: From 68 ft to 72 ft with 28 Cement (#sacks and material)
3rd Interval: From 875 ft to 908 ft with 40 Cement (#sacks and material)
Method Used: Pressure & Grout
Cemented By: Brien Water Wells
Distance to Septic Field or other Concentrated Contamination: No Data
Distance to Property Line: 50+ ft
Method of Verification: Measured
Approved by Variance: No Data

Surface Completion: Surface Slab Installed

Water Level: Static level: 76 ft. below land surface on 6/12/2007
Artesian Flow: No Data

Packers: No Data

Plugging Info: Casing or Cement/Bentonite left in well: No Data

Type Of Pump: Turbine
Depth to pump bowl: (No Data) ft

Well Tests: Jetted
Yield: (No Data) GPM with (No Data) ft drawdown after (No Data) hours

Water Quality: Type of Water: Potable
Depth of Strata: 985-1085 ft.
Chemical Analysis Made: No
Did the driller knowingly penetrate any strata which contained undesirable constituents: No

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: Brien Water Wells
 5214 S Hwy 6
 Hearne , TX 77859

Driller License Number: 1750

Licensed Well Driller Signature: G. P. Brien

Registered Driller Apprentice Signature: No Data

Apprentice Registration Number: No Data

Comments: Septic system not installed.
 ^EO

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #127328) on your written request.

Texas Department of Licensing & Regulation
 P.O. Box 12157
 Austin, TX 78711
 (512) 463-7880

DESC. & COLOR OF FORMATION MATERIAL

From (ft) To (ft) Description

0-72 clay and gravel and sand

72-118 sand and sandy shale

118-171 shale

171-190 sand and sandy shale

190-198 shale

198-212 s-shale

212-213 rock

213-241 shale

241-243 rock

243-285 s-shale and sand and rock

285-315 sand(b)

315-320 s-shale

320-337 shale

337-470 s-shale and rocks

470-570 sandy shale and shale

570-590 shale and soft rocks

590-730 shale

730-810 sand and rocks

810-880 shale

880-825 shale and sandy shale

825-928 rock

925-955 sand(b)

855-1004 sand (some streaks of shale)

CASING, BLANK PIPE & WELL SCREEN DATA

Dia.	New/Used	Type	Setting From/To
30	N	Steel	+1-58
16	N	Steel	+2-1011
16	N	Pipe Base SS Screen	1011-1111 .030
16	N	Steel	1111-1113

1004-1010 rock
1010-1024 sand(b)
1024-1042 sand and streak of coal
1042-1049 rock
1049-1118 sand
1118-1120 shale and coal
1120-1130 sand
1130-1131 rock

STATE OF TEXAS WELL REPORT for Tracking #129625

Owner:	Dr. Cliff Skiles	Owner Well #:	Red Hill #1
Address:	Rt. 1 Box 250 Hearne, TX 77859	Grid #:	59-03-9
Well Location:	Little Brazos River Hearne, TX 77859	Latitude:	30° 53' 55" N
Well County:	Robertson	Longitude:	096° 38' 44" W
Elevation:	No Data	GPS Brand Used:	Not Given
Type of Work:	New Well	Proposed Use:	Irrigation

Drilling Date: Started: 11/29/2004
Completed: 10/19/2006

Diameter of Hole: Diameter: 36 in From Surface To 76 ft
Diameter: 24 in From 76 ft To 964 ft

Drilling Method: Reverse Circulation

Borehole Completion: Gravel Packed From: 775 ft to 964 ft
Gravel Pack Size: 12-20

Annular Seal Data: 1st Interval: From 1 ft to 12 ft with 3 Yds. Concrete (#sacks and material)
2nd Interval: From 54 ft to 76 ft with 30 (#sacks and material)
3rd Interval: From 730 ft to 775 ft with 46 (#sacks and material)
Method Used: Pressure & Grout
Cemented By: Brion Water Wells
Distance to Septic Field or other Concentrated Contamination: No Data
Distance to Property Line: 50+ ft
Method of Verification: Measured
Approved by Variance: No Date

Surface Completion: Surface Sleeve Installed

Water Level: Static level: 27 ft. below land surface on 6/16/2007
Artesian flow: No Data

Packers: No Data

Plugging Info: Casing or Cement/Bentonite left in well: No Data

Type Of Pump: Turbine
Depth to pump bowl: (No Data) ft

Well Tests: Jailed
Yield: (No Data) GPM with (No Data) ft drawdown after (No Data) hours

Water Quality: Type of Water: Potable
Depth of Strata: 844-959 ft.
Chemical Analysis Made: No
Did the driller knowingly penetrate any strata which contained undesirable constituents: No

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Brien Water Wells**
5214 S. Hwy 6
Heame , TX 77859

Driller License Number: **1750**

Licensed Well Driller Signature: **Pete Brien**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No septic system installed.**
^EO

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #129625) on your written request.

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
(512) 463-7880

DESC. & COLOR OF FORMATION MATERIAL

From (ft) To (ft)	Description
0-35	clay
35-66	gravel
66-76	shale
76-168	shale & sandy shale
168-222	sandy shale
222-300	shale
300-330	sand & sandy shale
330-340	sandy shale & rocks & shale
340-365	sandy shale & rocks
365-378	sandy shale
378-450	sand (b)
450-462	sandy shale & rocks
462-578	sand (b) & rocks
578-581	rock (hard)
581-606	shale & sandy shale
606-668	brown shale & shale (tight)
668-844	gray shale and coal
844-850	sand & sandy shale
850-892	sand (b) & rocks
892-902	sand (b) & sandy shale
902-912	sandy shale
912-948	sand (b) & sandy shale (rocks)
948-964	shale & sandy shale & rocks

CASING, BLANK PIPE & WELL SCREEN DATA

Dia.	New/Used	Type	Setting From/To
30	N	Steel Casing	+1-72
16	N	Steel Casing	+2-845
16	N	SS Pipe Based Screen	845-845 .020
16	N	Steel Casing	945-964

STATE OF TEXAS WELL REPORT for Tracking #126630

Owner:	Dr. Skiles, Cliff	Owner Well #:	Goodland #6
Address:	Rt 1 Box 250 Hearne, TX 77859	Grid #:	59-11-2
Well Location:	FM 485 Hearne, TX 77859	Latitude:	30° 52' 02" N
Well County:	Robertson	Longitude:	096° 40' 44" W
Elevation:	No Data	GPS Brand Used:	Not Given
Type of Work:	New Well	Proposed Use:	Irrigation

Drilling Date: Started: 11/13/2004
Completed: 12/7/2005

Diameter of Hole: Diameter: 36 in From Surface To 72 ft
Diameter: 24 in From 72 ft To 1090 ft

Drilling Method: Reverse Circulation

Borehole Completion: Gravel Packed From: 875 ft to 1090 ft
Gravel Pack Size: 12-20

Annular Seal Data: 1st Interval: From 1 ft to 12 ft with 3 yds concrete (#sacks and material)
2nd Interval: From 52 ft to 72 ft with 30 (#sacks and material)
3rd Interval: From 830 ft to 875 ft with 46 (#sacks and material)
Method Used: Pressure & Grout
Cemented By: Erlen Water Wells
Distance to Septic Field or other Concentrated Contamination: 150+ ft
Distance to Property Line: 50+ ft
Method of Verification: Measured
Approved by Variance: No Data

Surface Completion: Surface Sleeve Installed

Water Level: Static level: 51 ft. below land surface on 5/7/2007
Artesian flow: No Data

Packers: No Data

Plugging Info: Casing or Cement/Bentonite left in well: No Data

Type Of Pump: Turbine
Depth to pump bowl: 400 ft

Well Tests: Jetted
Yield: (No Data) GPM with (No Data) ft drawdown after (No Data) hours

Water Quality: Type of Water: Potable
Depth of Strata: 910-1100 ft.
Chemical Analysis Made: No
Did the driller knowingly penetrate any strata which contained undesirable constituents: No

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Brien Water Wells**
 5214 S. Hwy 6
 Hearne, TX 77859

 Driller License Number: **1750**

 Licensed Well Driller Signature: **G. P. Brien**

 Registered Driller Apprentice Signature: **No Data**

 Apprentice Registration Number: **No Data**

 Comments: **No Data**

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1001.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #126630) on your written request.

Texas Department of Licensing & Regulation
 P.O. Box 12167
 Austin, TX 78711
 (512) 463-7880

DESC. & COLOR OF FORMATION MATERIAL

CASING, BLANK PIPE & WELL SCREEN DATA

From (ft) To (ft) Description
 0-30 sandy clay
 30-80 clay and gravel
 80-126 shale
 126-140 shale and coal
 140-172 sand (B) & S-shale
 172-248 shale and coal
 248-270 sand and S-shale
 270-359 shale and S-shale
 359-369 shale (tight)
 369-369 shale and S-shale
 369-423 shale
 423-488 S-shale and shale
 488-522 shale
 522-553 sand and S-shale
 553-568 shale
 568-570 rock
 570-675 S-shale
 675-768 shale & S-shale
 768-850 shale and rocks
 850-910 S-shale and rocks
 910-919 sand and S-shale
 919-925 sand and some coal
 925-935 S-shale and shale
 935-1009 sand

Dia. New/Used Type Setting From/To
 30 N Steel Casing +1-70
 16 N Steel Casing +2-985
 16 N SS Pipe Based Screen 985-1085 .030
 16 N Steel Casing 1085-1090

1009-1018 S-shale
1018-1021 shale
1021-1028 sand and S-shale
1028-1032 shale
1032-1071 sand and S-shale
1071-1100 sand